

SHENZHEN RISE ELECTRONIC CO., LTD.

Website: http://www.ideacamera.com Email:cctv@ideacamera.com Global Sources Homepage Address: http://www.globalsources.com/ideacamera.co

2Mp AI WIFI Baby camera, two-way speech intercom, VicoHome APP, 7Days 1G free cloud, 360° Full view, Cloud storage.





Model: AI-PTX08-F2B

Product features:

Easy to install and use

Clear and smooth video browsing; intelligent transmission giving full play to capabilities of the network.

Online firmware upgrade, and synchronous updating of the functions and experience.

Two-way voice intercom supported; echo eliminated; noise suppressed.

Compatible with Android; remote real-time monitoring supported with the IOS intelligent terminal. 2-megapixel high resolution (1920X1080) for clear picture quality.

Lighting for infrared night vision (with a night vision distance of 7m); 24h around-the-clock monitoring; IR-CUT switching; free of color cast in the daytime; clearer night vision.

Intelligent push to filter out useless information.

2.4G Wi-Fi supported (IEEE802.11b/g/n).

Intelligent storage algorithm, small space can accommodate more content, support Micro SD card, cloud storage.

QR code intelligent connection and network allocation supported.

Supporting human contour detection, activity zone, intelligent push and pet snapshot.

Small and exquisite appearance, various colors.

Minimum order quantity: 200pcs.

Product parameters:

| AI-PTX08-F2B | | Specifications |
|------------------|-----|----------------|
| Master processor | SOC | ARM |



SHENZHEN RISE ELECTRONIC CO., LTD.

Website: http://www.ideacamera.com
Email:cctv@ideacamera.com
Global Sources Homepage Address: http://www.globalsources.com/ideacamera.co

| | Sensor | 1/2.9" color CMOS sensor |
|--------------|----------------------------------|---|
| Image Sensor | Lens | M12, f: 3.6mm, F2.0, 2-megapixel |
| | Visual angle | H (horizontal) 85 degrees; V (vertical) 48 degrees; D (diagonal) 100 degrees |
| | Minimum illumination | 0.01Lux |
| Audio | Input/Output | Two-way voice intercom available (built-in Microphone and speaker) |
| | Audio compression method | AAC |
| Video | Video compression method | H.264/H.265 |
| | Lighting frequency | 50Hz, 60Hz |
| | Image frame rate | 15fps |
| | Maximum Image Resolution | 1920*1080P |
| | Light Source for Night Vision | IRCUT double filter automatic switching, 6 infrared lamps (850nm wavelength), irradiation distance:5 meters |
| Network | Wireless Network | 2.4G Wi-Fi (IEEE802.11b/g/n), built-in antenna |
| | Protocols Supported | TCP/IP, UDP/IP, DHCP, RTMP, MUTP |
| | IP Address Supported | Dynamic IP address supported |
| Alarm | Alarm detection | Motion Detection |
| | Alarm linkage | Support video recording, sound alarm |



SHENZHEN RISE ELECTRONIC CO., LTD.

Website: http://www.ideacamera.com
Email:cctv@ideacamera.com
Global Sources Homepage Address: http://www.globalsources.com/ideacamera.co

| | Alarm notification | Alarm push by mobile APP | |
|---------------|---|--|--|
| AI | Intelligent push, pet snapshot, human contour detection, package detection, motion tracking | | |
| PTZ | PTZ rotation angle | n angle $\frac{\text{H (horizontal) }0^{\circ} \sim 355^{\circ}; \text{V (vertical) }-}{20^{\circ} \sim 90^{\circ}}$ | |
| | Power Supply | 1 Micro USB interface, DC 5V/1A | |
| Interfaces | SD card | 1 Micro SD card (up to 128GB) | |
| | Keys | 1 function key | |
| Other | Adjustable lens | Not adjustable | |
| | LED indication | Monochrome white light (power/network signal/function indicator) | |
| | Video storage method | Micro SD card (up to 128GB) local storage, cloud storage | |
| | Install method | Ceiling or wall hanging | |
| Environment | Dustproof and waterproof | no | |
| | Operating environment | -10° ~ 45°C /10% ~ 80% (no condensation) | |
| | Storage environment | -20°C ~ 60° /0% ~ 90% (no condensation) | |
| Color | Appearance color | White | |
| Specification | Dimensions (L*W*H) | 74mm*74mm*117mm | |
| | Net Weight of Bare Machine | Approx. 183.2g | |



SHENZHEN RISE ELECTRONIC CO., LTD.

Website: http://www.ideacamera.com Email:cctv@ideacamera.com
Global Sources Homepage Address: http://www.globalsources.com/ideacamera.co

| Certifications Cer | tificate CE, FO | CC, RoHS |
|---------------------------|-----------------|----------|
|---------------------------|-----------------|----------|

Packing list:

- 1. Camera*1
- 2. Bracket*1
- 3. Mounting kit*1
- 4. USB charging cable *1
- 5. Operation instruction*1

APP Download:

